UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/813,615	03/31/2004	Simon Knowles	66365-020	3818

7590   12/07/2006

MCDERMOTT, WILL & EMERY
600 13th Street, N.W.
Washington, DC 20005-3096

EXAMINER
FIEGLE, RYAN PAUL

ART UNIT	PAPER NUMBER
2183	

DATE MAILED: 12/07/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
	10/813,615	KNOWLES, SIMON
Office Action Summary	Examiner	Art Unit	
	Ryan P. Fiegle	2183	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on <u>22 September 2006</u>.

2a)☒ This action is **FINAL**.   2b)☐ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) <u>1-21</u> is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) <u>1-21</u> is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All b)☐ Some * c)☐ None of:

      1.☐ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☒ Notice of References Cited (PTO-892)

2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3)☒ Information Disclosure Statement(s) (PTO/SB/08)
    Paper No(s)/Mail Date _____.

4)☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____ .

5)☐ Notice of Informal Patent Application

6)☐ Other: _____.

DETAILED ACTION

Specification

1.   The new title is noted with appreciation and accepted by the examiner.

Claim Rejections - 35 USC § 101

2.   The examiner notes with appreciation the amendments to the claims to remedy

the 101 issues.

Claim Rejections - 35 USC § 112

3.   The examiner notes with appreciation the amendments to the claims to remedy

the 112 issues.

Claim Rejections - 35 USC § 102

4.   The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that

form the basis for the rejections under this section made in this Office action:

> A person shall be entitled to a patent unless –
>
> (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

5.   Claims 1, 2, 7, 11, 14-16 and 18-21 are rejected under 35 U.S.C. 102(e) as being

anticipated by Kahle et al. (USPGPub 2005/0044434).

6.   As per claim 1:

A computer processor, the processor comprising:

a decode unit for decoding instruction packets fetched from a memory holding a

sequence of instruction packets (¶0016); and

first and second processing channels, each channel comprising a plurality of

functional units, wherein the first processing channel is capable of performing control

operations and comprises a control register file having a first bit width (¶0016; Figure 1,

item 26), and the second processing channel is capable of performing data processing

operations at least one input of which is a vector and comprises a data register file

having a second bit width (¶0016; Figure 1, items 20, 28, 30, 32 and 34);

wherein the decode unit is operable to detect for each instruction packet whether

the instruction packet defines (i) a plurality of control instructions to be executed

sequentially on the first processing channel or (ii) a plurality of instructions comprising at

least one data processing instruction to be executed simultaneously on the second

execution channel, and to control the first and second channels in dependence on said

detection (It is inherent that instructions are issued to the proper functional unit based

on opcode).

7.   As per claim 2:

A computer processor according to claim 1, wherein the first processing channel

further comprises a branch unit and a control execution unit (¶0016).

8.   As per claim 7:

A computer processor according to claim 1, wherein the instruction packets are

all of equal bit length.

Kahle was made for use with the PowerPC architecture as noted by the use of

the VMX unit and mention of the architecture (¶0005). PowerPC fetches exactly eight

instructions every cycle.

9.   As per claim 11:

A computer processor according to claim 7, wherein the nature of each

instruction in an instruction packet is selected at least from a control instruction, a data

instruction, and a memory access instruction (¶0016).

10.   As per claim 14:

A computer processor according to claim 1, wherein when the decode unit

detects that the instruction packet defines three control instructions, the decode unit is

operable to supply the first processing channel with the three control instructions

whereby the three control instructions are executed sequentially.

PowerPC dispatches 5 instructions at a time in sequential order. In the

occurrence of three control instructions being present in this group, the decode unit

(issue unit) will dispatch the instructions to the control unit (Figure 1, item 26).

11.   As per claim 15:

A computer processor according to claim 1, wherein when the decode unit

detects that the instruction packet defines two instructions comprising at least one data

instruction, the decode unit is operable to supply the second processing channel with at

least the data instruction whereby the two instructions are executed simultaneously.

PowerPC dispatches 5 instructions at a time in sequential order. In the

occurrence of two VMX instructions being present in this group, the decode unit (issue

unit) will dispatch the instructions to the VMX unit (Figure 1, items 20, 28, 30, 32 and 34).

12.   As per claim 16:

A computer processor according to claim 1, wherein the decode unit is operable to read the values of a set of designated bits at predetermined bit locations in each instruction packet of the sequence (Based on the definition of an instruction set architecture, it is inherent that the decode unit will read bits in predetermined bit locations in the instruction packet; the decoder has to determine what instructions are in the packet, this is done by reading the opcodes.), to determine:

a) whether the instruction packet defines a plurality of control instructions or a plurality of instructions of which at least one is a data instruction (In reading the opcodes the decoder will determine whether the instruction packet defines a plurality of control instructions or a plurality of instructions of which at least one is a data instruction); and

b) where the instruction packet defines a plurality of instructions of which at least one is a data instruction, the nature of each of the two instructions selected from: a control instruction; a data instruction; and a memory access instruction (¶0016).

13.   As per claim 18:

A method of operating a computer processor which comprises first and second processing channels each comprising a plurality of functional units, wherein the first processing channel comprises a control register file having a first bit width and the second processing channel comprises a data register file having a second bit width (¶0016), the method comprising:

decoding an instruction packet to detect whether the instruction packet defines a

plurality of control instructions of equal length or two instructions comprising at least one

data instruction, at least one of which is a vector (In reading the opcodes the decoder

will determine whether the instruction packet defines a plurality of control instructions of

equal length or two instructions comprising at least one data instruction, at least one of

which is a vector);

when the instruction packet defines a plurality of control instructions of equal

length, supplying the control instructions to the first processing channel whereby the

control instructions are executed sequentially (PowerPC dispatches 5 instructions at a

time in sequential order. In the occurrence control instructions being present in this

group, the decode unit (issue unit) will dispatch the instructions to the control unit

(Figure 1, item 26)); and

when the instruction packet defines a plurality of instructions comprising at least

one data instruction, supplying at least the data instruction to the second processing

channel whereby the plurality of instructions are executed simultaneously (PowerPC

dispatches 5 instructions at a time in sequential order. In the occurrence of VMX

instructions being present in this group, the decode unit (issue unit) will dispatch the

instructions to the VMX unit (Figure 1, items 20, 28, 30, 32 and 34)).

14.   As per claim 19:

A computer-readable medium comprising a sequence of instruction packets,

said instruction packets including a first type of instruction packet comprising a

plurality of control instructions of equal length and a second type of instruction packet

comprising a plurality of instructions including at least one data instruction (PowerPC

does not place limitations on the contents of its packets. These scenarios are covered

by the architecture.),

wherein the computer-readable medium is adapted to run on a computer such

that the first type of instruction packet is executed by a dedicated control processing

channel, and the at least one data instruction of the second instruction packet is

executed by a dedicated data processing channel, the dedicated control processing

channel having a first bit width than the dedicated data processing channel (¶0016).

While Kahle does not explicitly disclose a computer-readable medium, such is

inherent since the processor is useless without having program code to run on it.

15.   As per claim 20:

A method of operating a computer processor which comprises first and second

processing channels each comprising a plurality of functional units, wherein the first

processing channel comprises a control register file having a first bit width and the

second processing channel comprises a data register file having a second bit width

(¶0016), the method comprising:

fetching a sequence of instruction packets from a program memory, all of said

instruction packets containing a set of designated bits at predetermined bit locations

sequence (Based on the definition of an instruction set architecture, it is inherent that

the decode unit will read bits in predetermined bit locations in the instruction packet; the

decoder has to determine what instructions are in the packet, this is done by reading the

opcodes.);

decoding each instruction packet, said decoding step including reading the values of said designated bits to determine:

a) whether the instruction packet defines a plurality of control instructions or a plurality of instructions of which at least one is a data instruction (In reading the opcodes the decoder will determine whether the instruction packet defines a plurality of control instructions or a plurality of instructions of which at least one is a data instruction); and

b) where the instruction packet defines a plurality of instructions of which at least one is a data instruction, the nature of each of the two instructions selected from: a control instruction; a data instruction; and a memory access instruction (¶0016).

16.   As per claim 21:

A computer-readable medium comprising a sequence of instruction packets,

said instruction packets including a first type of instruction packet comprising a plurality of control instructions of substantially equal length and a second type of instruction packet comprising first and second instructions including at least one data instruction (PowerPC does not place limitations on the contents of its packets. These scenarios are covered by the architecture.),

said instruction packets including at least one indicator bit at a designated bit location within the instruction packet, wherein the computer-readable medium is adapted to run on a computer such that said indication bit is adapted to cooperate with a decode unit of the computer to designate whether (Based on the definition of an instruction set architecture, it is inherent that the decode unit will read bits in

predetermined bit locations in the instruction packet; the decoder has to determine what

instructions are in the packet, this is done by reading the opcodes.):

a) the instruction packet defines a plurality of control instructions or a plurality of

instructions of which at least one is a data instruction (In reading the opcodes the

decoder will determine whether the instruction packet defines a plurality of control

instructions or a plurality of instructions of which at least one is a data instruction); and

b) in the case when there is a plurality of instructions comprising at least one

data instruction, the nature of each of the first and second instructions selected from: a

control instruction; a data instruction; and a memory access instruction (¶0016).

While Kahle does not explicitly disclose a computer-readable medium, such is

inherent since the processor is useless without having program code to run on it.

Claim Rejections - 35 USC § 103

17.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set
> forth in section 102 of this title, if the differences between the subject matter sought to be patented and
> the prior art are such that the subject matter as a whole would have been obvious at the time the
> invention was made to a person having ordinary skill in the art to which said subject matter pertains.
> Patentability shall not be negatived by the manner in which the invention was made.

18.   Claims 3, 4 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable

over Kahle et al. (USPGPub 2005/0044434) as applied to claim 1 above in view of

"Unifying FPGAs and SIMD Arrays" by Bolotski et al.

19.   As per claim 3:

Kahle teaches the computer processor according to claim 1, wherein the second

processing channel further comprises a fixed data execution unit (Kahle: ¶0016).

Kahle does not disclose the second processing channel containing a

configurable data execution unit.

Bolotski teaches a system that can simulate SIMD and configurable operations

on the same unit, which can be subdivided into SIMD, and configurable units (Bolotski:

§4).

Bolotski comments on the benefits of combining a SIMD and configurable unit,

including reducing cost by not duplicating logic (Bolotski: §4.1).

The advantages of configurable units are well known in the art (Bolotski: §1).

Therefore, it would have been obvious to one of ordinary skill in the pertinent art

to apply a configurable unit to Kahle by modifying the VMX as in Bolotski to do the tasks

of SIMD operations as well as configurable operations.

20.   As per claim 4:

A computer processor according to claim 3, wherein the fixed data execution unit

and the configurable data execution unit both operate according to a single instruction

multiple data format (Bolotski: §4).

21.   As per claim 17:

A computer processor according to claim 3, wherein the configurable data

execution unit is capable of executing more than two consecutive operations on the

data provided by a single issued instruction before returning a result to a destination

register file.

One of ordinary skill in the pertinent art would have recognized that this is a simple accumulate function that would be easily programmable in configurable logic.

22.   Claims 5 and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kahle et al. (USPGPub 2005/0044434) as applied to claim 1 above in view of Fuller (US Patent 5,423,051).

23.   As per claim 5:

Kahle does not teach the computer processor according to claim 1, wherein the first and second processing channels share a load store unit while Fuller does (Fuller: Figure 6).

Such would have been obvious to one of ordinary skill in the pertinent art at the time of the applicant's invention since sharing hardware precludes the need to duplicate it, which saves power and die space.

24.   As per claim 6:

A computer processor according to claim 5, wherein the load store unit uses control information supplied by the first processing channel and data supplied by the second processing channel (Fuller: Figure 6).

25.   Claims 8-10, 12 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kahle et al. (USPGPub 2005/0044434) as applied to claim 1 above.

26.   These claims recite limitations of the bit lengths of various instructions and packets.

While Kahle may not teach the recited lengths, such modifications would have been obvious to one of ordinary skill in the pertinent art at the time of the applicant's

invention. Making a bit length longer or shorter is done for multiple reasons well known

in the art. For example, Kahle points out the advantages of longer bit lengths, including

increased precision (Kahle: ¶0006). Further, shortening a bit length has known

advantages, such as saving storage space and reducing complexity of logic.

If it was advantageous to lengthen or shorten the bit lengths in Kahle for various

reasons, one of ordinary skill in the pertinent art would have recognized that it would

have been simple to do so.

Further, it has been found that a change in size does not produce a patentable

distinction. In re Rose , 220 F.2d 459, 105 USPQ 237 (CCPA 1955) (Claims directed to

a lumber package "of appreciable size and weight requiring handling by a lift truck"

where held unpatentable over prior art lumber packages which could be lifted by hand

because limitations relating to the size of the package were not sufficient to patentably

distinguish over the prior art.); In re Rinehart, 531 F.2d 1048, 189 USPQ 143 (CCPA

1976) ("mere scaling up of a prior art process capable of being scaled up, if such were

the case, would not establish patentability in a claim to an old process so scaled." 531

F.2d at 1053, 189 USPQ at 148.).

Response to Arguments

27.   The applicant has made the following argument in reference to claim 1:

> "The examiner has not provided a basis in fact and/or technical reasoning to reasonably support
> that the limitation "wherein the decode unit is operable to detect for each instruction packet
> whether the instruction packet defines (i) a plurality of control instructions to be executed
> sequentially on the first processing channel or (ii) a plurality of instructions comprising at least
> one data processing instruction to be executed simultaneously on the second execution channel,
> and to control the first and second channels in dependence on said detection" necessarily flows
> from the teachings of Kahle."

The last sentence of paragraph 54 of Sharangpani et al. (USPGPub

2004/0215593) comments that instructions are routed to a particular execution unit

based on opcode. This is such a common aspect of computer architecture that it is

seldom mentioned. However, logic will dictate, for example, that an integer unit is not

capable of executing a floating-point instruction. A decoder is able to tell if an

instruction is a floating-point instruction based on the opcode, and therefore routes the

instruction to a particular execution unit based on the opcode.

Further, the two instances of the contents of the packets mentioned in the claim

may be two of many possible combinations that Kahle may handle. This may or not be

the same intension as the applicant. If the claim is limited to *only* these two situations,

Kahle may not be able to teach the limitation.

The applicant comments that Kahle executes instructions sequentially, as is

addressed below. Because of this, control instructions will be executed sequentially. It

should be noted, however, that most processors only execute one basic block at a time,

and therefore they will also execute control instructions sequentially.

Similar arguments apply to claim 18.

28.   The applicant has made the following argument in reference to claim 1:

"Kahle appears to assume that instructions are executed serially, and does not expressly or
inherently disclose embedding information about possible simultaneous execution in the
information packet."

Executing instructions serially does not preclude executing instructions

simultaneously. The mere presence of a vector unit shows that Kahle is capable of

executing multiple instructions simultaneously. Further, the claim makes no mention of

embedded information in the packet.

Similar arguments apply to claim 18.

29.   The applicant has made the following argument in reference to claim 18:

"The hardware and power cost of doing this [PowerPC hardware] determination is substantial,
and the corresponding additional pipelining stages have an adverse impact on performance. In
sharp contrast, the claimed 18 recites "the instruction packet defines," and this limitation is
supported in the Applicant's specification at Figure 2 and paragraph [0027], wherein a value of"0"
in the first bit defines an opportunity for simultaneous or parallel execution.."

The applicant has provided no evidence supporting the power usage of this

method. However, the point is moot since the claim does not preclude using such a

method. The examiner asserts that the instruction packet does is not required to

contain embedded information to "define" its contents. Merely containing the contents

defines them.

30.   The applicant has made the following argument in reference to claim 19:

"However, Kahle paragraph [00016] does not disclose the dedicated control processing channel
having a first bit width narrower than the dedicated data processing channel. Thus, independent
claim 19 is not anticipated by Kahle."

Paragraph 16 of Kahle discloses the various execution units of the processor

including a vector unit and an integer unit. One of ordinary skill in the art will recognize

that vector data is wider than integer data. Further, throughout Kahle, different modes

of 8, 16, 32, and 64-bits are disclosed. Kahle changes through these modes through

the use of control bits.

31.   The applicant has made the following argument in reference to claim 20:

"Independent claim 20 recites "fetching a sequence of instruction packets from a program
memory, all of said instruction packets containing a set of designated bits at predetermined bit
locations; decoding each instruction packet, said decoding step including reading the values of
said designated bits to determine: a) whether the instruction packet defines a plurality of control
instructions or a plurality of instructions of which at least one is a data instruction; and b) where

the instruction packet defines a plurality of instructions of which at least one is a data instruction, the nature of each of the instructions selected at least from: a control instruction; a data instruction; and a memory access instruction." The cited prior art (Kahle) does not disclose this limitation, see the discussion above regarding claims 1 and 18."

As was noted in the rejection, the opcodes within the packet are sets of designated bits at predetermined bit locations. These predetermined bit locations are based on the beginning and end of the instructions. The decoder will use these opcodes to determine a) whether the instruction packet defines a plurality of control instructions or a plurality of instructions of which at least one is a data instruction, and b) where the instruction packet defines a plurality of instructions of which at least one is a data instruction, the nature of each of the two instructions selected from: a control instruction; a data instruction; and a memory access instruction.

Similar arguments apply to claim 21.

Conclusion

32.   **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ryan P. Fiegle whose telephone number is 571-272-5534. The examiner can normally be reached on M-F 8-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie Chan can be reached on 571-272-4162. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Ryan P Fiegle
Examiner
Art Unit 2183

EDDIE CHAN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100